




Republic of the Philippines
KALINGA STATE UNIVERSITY
 National Highway, Purok 6, Bulanao, Tabuk City, Kalinga
Bids and Awards Committee

Annex A: Schedule of Prices


Name of Supplier: _____

0	1	2	3	4	5	6	7	8	9	10
No.	Item and Description	Country of origin	Qty	Unit	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit <i>(col 5+6+7+8)</i>	Total Price delivered Final Destination <i>(col 9) x (col 3)</i>
	<p>ABDOMINAL PALPATION MODEL FOR LEOPOLDS MANEUVER, dimension 50x28x23 cm, eight: 8kg A unique, 3-D teaching tool</p> <ul style="list-style-type: none"> -This model represents a female abdomen (padded cloth attached with Velcro) with a bony pelvis; skin tone complexion -One-piece fetal baby with palpable fontanelles, spine, shoulders, elbows, and knees. -The fetal baby may be placed in a normal, breech, or transverse position. -Fetal baby cradled between two “cushions”. Cushions may be inflated independently of the other; inflation of the lower cushions raises the t fetus to the desired position; inflation of the upper cushion creates a firm abdomen as in the ninth month of pregnancy -The fetus with palpable fontanelles, spine, shoulders, elbows, and knees may be placed in normal, breech, or transverse position and will be cradled between the 2 cushions. <div style="text-align: center;"> </div>		1	Unit						




<p>NEONATAL NEWBORN SIMULATOR, dark complexion w/ standard accessories, 1 Upright Newborn Bag-mask, 1 mask size 0, 1 mask size Facilitates practice of effective bag-mask ventilation, as chest will only rise with correct technique. This is in line with global guidelines for newborn simulators. Has a realistic size and appearance, and also natural weight, feel and touch when filled with lukewarm water. Squeeze bulbs allow simulation of birth cry, spontaneous breathing, palpable umbilical pulse, and heart sound. Easy preparation of Neo Natalie's body with 2 liters of water, air, or rice. Neo Natalie's status can be simulated as desired for effective Role-playing covers normal care after birth as well as standard resuscitation measures. Carry bag included for convenient transport. NeoNatalie's complete contents: Neo Natalie newborn simulator Simulation squeeze bulbs with tubings Umbilical cord with connector 2 Umbilical ties 2 Sheets to simulate towels Head cap Upright Newborn Bag-Mask or Neo Natalie Resuscitator Penguin Newborn Suction Training stethoscope Transport/storage bag Directions for use</p> 		1	Unit						
---	--	---	------	--	--	--	--	--	--



<p>INJECTION SIMULATOR/SHOULDER Orientation: Left Size: Large Model Type: Joint Injection Material: Soft Tissue with Skin Color: Tan Anatomy: Shoulder *For practicing soft tissue joint injection used for the treatment of injuries and arthritis *Patient posture and management *Palpation techniques *Injection on five specific sites: Subacromial space Acromioclavicular joint Bicipital groove Glenoid fossa from the anterior aspect Glenoid fossa from the posterior aspect The skin is self-healing. With proper care and maintenance, your new model should provide you with many years of service</p> 		1	Unit						
--	--	---	------	--	--	--	--	--	--



<p>PERINEAL REPAIR SIMULATOR, latex-free, silicone-based material Replaceable tissue allows for multiple incision sites and suturing/vaginaprt-20 -The Perineal Repair Trainer is the only soft tissue model for anatomical and procedural training of first to fourth-degree perineal tears. The trainer includes vaginal and anal canals, rectovaginal fascia, skin and muscle layers, a retractable rectal sphincter, and rectal mucosa; and allows for midline, mediolateral, and lateral incisions. The replaceable tissue allows for multiple cuts and realistic suturing of the vaginal mucosa, muscle, and subcutaneous layers. The tray overlays the tissue providing tension that enhances the simulation and creates a bony anatomical landmark simulating the ischial spine that allows the user to perform a pudendal block. The internal distension rod provides more realistic access to deeper tissues during 3rd and 4th-degree repairs. Adjustable tension; usage: colleges, schools for shoulder Arthroscopy Model •Base sits securely on the table Dimensions Size: 9" h; 10" w; 7.5" d Weight: 6 lbs</p> 		1	Unit						
--	--	---	------	--	--	--	--	--	--



Republic of the Philippines
KALINGA STATE UNIVERSITY
 National Highway, Purok 6, Bulanao, Tabuk City, Kalinga
Bids and Awards Committee

Terms and Conditions:

- a) All equipment and components should be branded (not clone, imitation or assembled) and brand new.
- b) Availability of parts in the local market by local distributor.
- c) During the warranty period, any defective or malfunctioning device shall be repaired/replaced by the supplier.
- d) 1 or 3 years warranty of service and device/equipment based on the equipment (It will start after the turn-over and training of the end-user)

After Sales Requirements:

- e) Under warranty coverage: If unrepairable within 7 days, a free service backup unit (1:1) or service spare part of the same or higher specification must be provided by the supplier until defective unit/part is considered repaired/replaced.
- f) Monday to Friday, office hours technical support and service
- g) Capable of providing technical service/assistance within 24 hours OR next business day on-site (NBDOS) service warranty.

Grand-Total Amount in Figures: Php

Total Amount in words:

Performance Security:	N/A	Warranty:	Warranty shall be for three (3) months for expendable supplies and one (1) year for non-expendable supplies or equipment reckoned from the date of acceptance of the Goods
Delivery Period:	45 CD	Price Validity:	30 cd

After having carefully read and accepted your General Conditions on the **Purchase of Skills Laboratory Equipment for CHNS RLE**, I/We hereby offer the price quotations on the items/s above:

_____ Printed Name/ Signature

_____ E-mail Address

_____ Company Name

_____ Contact No.

_____ Company Address

_____ TIN